

**Notice of Allowability**

Application N .

09/709,105

Examiner

D. Jacob Davis

Applicant(s)

CRAGG ET AL.

Art Unit

3731

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment 3/8/04.
2. ☒ The allowed claim(s) is/are 2-5, 22-30, 51 and 52.
3. ☐ The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☒ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
- (a) ☒ including changes required by the Notice of Draftperson's Patent Drawing Review ( PTO-948) attached
- 1) ☐ hereto or 2) ☒ to Paper No./Mail Date 4/17/03.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |   |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)           |
| 2. <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948)                                 | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                              |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance  |
|   | 9. <input type="checkbox"/> Other _____   |

**NOTICE OF ALLOWABILITY**

The following is an examiner's statement of reasons for allowance: The prior art fails to disclose or suggest all of the limitations of claim 2 including, "the step of adjusting the boring angle includes advancing or retracting a sheath relative to said boring head." The prior art fails to disclose or suggest all of the limitations of claim 4 including, "the outer and inner sheaths providing directional control to the boring angle of the drill bit by selectively advancing or proximally retracting the outer sheath over or from the distal segment of the inner sheath." The prior art fails to disclose or suggest all of the limitations of the claim 22 including, "boring a plurality of trans-sacral axial bores...each trans-sacral axial bore diverging away from the axial instrumentation/fusion line." The prior art fails to disclose or suggest all of the limitations of the claim 51 including, "each trans-sacral axial bore diverging away from the axial instrumentation/fusion line and any other axial bore and terminating at spaced apart cephalad bore ends."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Art Unit: 3731

Any inquiry concerning this communication or earlier communications from the examiner should be directed to D. Jacob Davis whose telephone number is (703) 305-1232. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael J. Milano can be reached on (703) 308-2496. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DJD  
April 28, 2004



MICHAEL J. MILANO  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3700